

Section 1.

Identification of the material and the supplier

Product: Product Code: Product Use: Restriction of Use:	Redex Oil Stop Leak RDX24 Engine Oil Additive Refer to Section 15
New Zealand Supplier: Address:	Filpro Automotive NZ Ltd 40 Firth St Drury Auckland
Telephone:	+64 9 2946752
Fax Number:	+64 9 2946751
Emergency Telephone:	0800 764 766 (National Poison Centre)
	0800 764 766 (National Poison Centre)
Emergency Telephone: Holt Lloyd International Address:	Barton Dock Road
Holt Lloyd International Address:	Barton Dock Road Manchester M32 OYQ England
Holt Lloyd International	Barton Dock Road

Section 2. Hazards Identification

This substance is hazardous according to the HSNO (Minimum Degrees of Hazard) Regulations 2001

EPA Approval No: Additives, Process Chemical and Raw Materials (Subsidiary Hazard) – HSR002503

Pictograms

N / A

Signal Word: WARNING

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1D (oral)	H302	Harmful if swallowed.	Category 4
6.1E (aspiration)	H304	May be fatal if swallowed and enters airways.	Category 1
6.3B	H316	Causes mild skin irritation.	Category 3
6.4A	H319	Causes serious eye irritation.	Category 2A
9.1D	H402	Harmful to aquatic life	Category 4

Prevention Code	Prevention Statement
P102	Keep out of reach of children.

P103	Read label before use.
P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking.
P264	Wash exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing, and eye protection.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
F 303 + F 331+F 338	if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P370 + P378	In case of fire: Use CO ₂ , dry powder, chemical foam for extinction.

Storage Code	Storage Statement
P405	Store locked up.
P403 + P235	Store in a well-ventilated place. Keep cool.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Petroleum Hydrotreated Distillates	10-30	64742-46-7
Non hazardous substances	balance	

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. If eye irritation persists: Get medical advice.
If on Skin	Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation occurs: get medical advice/attention.
If Swallowed	Rinse mouth. DO NOT induce vomiting. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Immediately call a POISON CENTER (0800 764 766) or a doctor/physician.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.
Section 5.	Fire Fighting Measures

Hazard Type	Product is not likely to be combustible
Hazards from combustion products	None known.
Product Name: RDX24	

Suitable Extinguishing media	Use CO ₂ , dry powder, or chemical foam for extinction. Always choose fire-extinguishing media appropriate for surrounding materials.
Precautions for firefighters and special protective clothing	Wear full protective gear.
HAZCHEM CODE	2X

Section 6. Accidental Release Measures

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel.

Collect for reclamation or absorb in vermiculite, dry sand or similar material.

Do not contaminate water sources or sewer. Dispose of according to Local Regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Keep away from heat, sparks, open flames and hot surfaces. No smoking.
- Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Avoid release to the environment.
- Wear protective clothing.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep out of reach of children
- Store locked up.
- Store in a well-ventilated place. Keep cool.
- Store above freezing.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

	TWA	STEL
Substance	ppm mg/m ³	ppm mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). *The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure.* Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). *The 15-minute average exposure standard.* Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

Engineering Controls

Ensure adequate ventilation is available.

Personal Protection

Eyes	Wear goggles with side shields. Avoid wearing contact lenses.
	Use suitable protective gloves if risk of skin contact. EN374 Rubber gloves
Skin	are recommended.
Respiratory	If ventilation is poor, use appropriate cartridge respirator.

Section 9	Physical and Chemical Properties
-----------	----------------------------------

-		
Appearance	Amber liquid	
Odour	Mild petroleum	
Odour Threshold	Not applicable	
рН	Not applicable	
Boiling Point	Not applicable	
Melting Point	Not applicable	
Freezing Point	Not applicable	
Flash Point	Not available	
Flammability	Unlikely To Be Combustible	
Upper and Lower Exposure	Not applicable	
Limits		
Vapour Pressure	Not applicable	
Vapour Density	Not applicable	
Relative Density	Not applicable	
Solubilities	Insoluble	
Partition Coefficient:	Not applicable	
Auto-ignition Temperature	Not applicable	
Decomposition Temperature	Not applicable	
Kinematic Viscosity	Not applicable	
Particle Characteristics	Not applicable	

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.	
Conditions to Avoid	Keep away from heat, sparks, open flames and hot surfaces	
Incompatible Materials	None known.	
Hazardous Decomposition	ion None known.	
Products		

Section 11	Toxicological Information	

Acute Effects:

Swallowed	Harmful if swallowed. $LD_{50} = 500 mg/kg$ (calculation average)	
Dermal	Not applicable.	
Inhalation	May be fatal if swallowed and enters airways.	
Eye	Causes serious eye irritation.	
Skin	Causes mild skin irritation.	

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive	Not applicable.	
Toxicity		
Germ Cell	Not applicable.	
Mutagenicity		
Aspiration	May be fatal if swallowed and enters airways.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

Section 12. Ecotoxicological Information

HSNO Classes: 9.1D = Harmful to aquatic life with long lasting effects.

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available

Other adverse effects No data available

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Precautions: Dispose of waste according to Local regulations. Collected spillage and unused product must be placed in a sealable waste container for disposal through a disposal company.

Disposal methods to avoid: Do not allow product to enter sewers, streams, or waterways

Section 14	Transport Information	

This product is NOT classified as a Dangerous Good in NZ ; NZS 5433:2012

Section 15 Regulatory Information

EPA Approval Code: Additives, Process Chemical and Raw Materials (Combustible) – HSR002490

HSNO Classification: 6.1D(oral), 6.1E(asp), 6.3B, 6.4A, 9.1D

HSNO Controls:

Trigger quantities for this substance:

	Trigger Quantity
Approved Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	10 000L
Emergency Response Plan	1000L
Secondary Containment	1000L
Restriction of Use	Additive, Process Chemical, or Raw Material only

Section 16	Other Information
Glossary	
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms
	inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible
	authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit
AWC	Aggregate water capacity

1. HSNO Approved Code of Practice: Preparation of Safety Data Sheets, September 2006.

Disclaimer

This document has been issued by Filpro Automotive Ltd and serves as their Safety Data Sheet ('SDS'). It represents the appropriate safety and handling precautions for the product at the time of issue. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated., it does not provide any warranty as to accuracy or completeness. Please contact the country distributor, if further information is required.

Issue Date:

04 March 2021

Review Date:

04 March 2026